- \* WinARM Compiler 설치
  - 1. 다운 받은 WinARM-20070505\_sfx를 실행 합니다.



2. 아래와 같이 압축울 풀 디렉토리(c:₩)를 입력후 Extract버튼을 클릭 합니다.

7-Zip self-extracting archive	
E <u>x</u> tract to:	
	1 직접 입력
	2) 선택 버튼
Extract Cancel	Č

3. 환경 등록 아래와 같이 진행 합니다.



## \* Programmer's Notepad (PN) 설치

1. 다운 받은 pn208718를 실행 합니다.



2. 아래와 같이 진행 합니다.



🔞 Setup - Programmer's Notepad	
Information Please read the following important information before continuing.	
When you are ready to continue with Setup, click Next.	
======================================	
What's new?	
<ol> <li>Extensions interface</li> <li>Detection of UTF-8 without a Byte Order Mark, also an encoding option (parts Oleg Gerasimov)</li> <li>Sets unicode character set automatically when a unicode file encoding is selected.</li> <li>Decorators in Python scheme</li> <li>Add New File in Magic Folders context menu</li> </ol>	; by
< <u>B</u> ack <u>N</u> ext≻	Cancel

🕼 Setup - Programmer's Notepad
Select Destination Location Where should Programmer's Notepad be installed?
Setup will install Programmer's Notepad into the following folder.
To continue, click Next. If you would like to select a different folder, click Browse.
C:\Program Files\Programmer's Notepad Browse
At least 5.5 MB of free disk space is required.
< <u>B</u> ack <u>N</u> ext> Cancel

🕞 Setup - Programmer's Notepad
Select Start Menu Folder Where should Setup place the program's shortcuts?
Setup will create the program's shortcuts in the following Start Menu folder.
To continue, click Next. If you would like to select a different folder, click Browse.
Programmer's Notepad Browse
<pre></pre>







- \* Programmers Notepad (PN) 환경 설정
  - 1. 설치된 Programmer's Notepad를 실행 합니다.



- 2. 아래와 같이 진행 합니다.
  - 1. Tools -> Options 를 선택 합니다.



2. General -> Defaults 에서 Tab Width를 선택 합니다.

Options			×
General	Defaults          Defaults         Show Line Numbers         Word-Wrap         Visible Line Endings         Visible Whitespace Char         Use the tab character fr         Jab Width:         B         Line Endings:         Windows (CRLF)         Code Page:         Default         Character Set:         Default	acters or indentation	
		ОК Са	ncel <u>H</u> elp

3. Tools -> Scheme 에서 C/C++를 선택 합니다.

Options				X
General Defaults Visual Help Confirmations Dialogs Keyboard AutoComplete Code Templates Schemes Styles Advanced Files New Files File Associations Alternate Files Tools Project Tools Extensions	Scheme: C/C++ Name [WinARM_G]Make All [WinARM_G]Make Clo	Command make.exe ean make.exe	Params all clean	Add Edit Remove
			OK Can	cel <u>H</u> elp

4. [WinARM\_G]make All를 선택후 EDIT 버튼을 클릭합니다.

Options				×
General Defaults Visual Help Confirmations Dialogs Keyboard AutoComplete Code Templates Schemes Styles Advanced Files New Files File Associations Alternate Files Tools Project Tools Extensions	Scheme: C / C++ Name [WinARM_G]Make All [WinARM_G]Make Clean WinARM_G]Make Clean	Command make.exe make.exe	Params all clean	Add Edit Remove
			ок с	Cancel Help

5. 아래와 같이 설정후 확인 버튼을 클릭합니다.

📝 Edit Tool 음	등록 정보	? 🛛
Properties Co	onsole I/O	
Name:	[WinARM_G]Make All	
Command:	make.exe	
Folder:	%d	
Parameters:	all	
Shortcut:	F9	⊆lear
Save:	Current File	~
🗹 This tool wi	ll modify the current file.	
Special Symbols:		
Text	Meaning	Example
%f	File Name	mainfrm.cpp
%n %l	File Name (no ext) Currept Lipe Number	
%?	Ask for parameters	(?)
%p	Current Project File	pn.pnproj
%d	Path of File	c:₩source₩pn
%c	Column	12
	ž	인 취소

6. [WinARM\_G]make Clean를 선택후 EDIT 버튼을 클릭합니다.

Options				×
General Defaults Visual Help Confirmations Dialogs Keyboard AutoComplete Code Templates Schemes Styles Advanced Files New Files File Associations Alternate Files Tools Project Tools Extensions	Scheme: C/L++ Name [WinARM_G]Make All [WinARM_G]Make Clean Note: The first item in any I	Command make.exe make.exe	Params all clean	Add Edit Remove
			ок	Cancel <u>H</u> elp

7. 아래와 같이 설정후 확인 버튼을 클릭합니다.

2 Edit Tool a	통록 정보	? 🗙
Properties Co	insole I/O	
Name:	[WinARM_G]Make Clean	
Command:	make.exe	
Folder:	%d	
Parameters:	clean	
Shortcut:	F12 Clear	
Save:	Current File	
🗹 This tool wi	ll modify the current file.	
Special Symbols:		
Text	Meaning Example	~
%f	File Name mainfrm.cpp File Name (polleyt) mainfrm	
%	Current Line Number 232	
%?	Ask for parameters (?)	
%р	Current Project File pn.pnproj	
%d %c	Path of File c:\Wsource\Wpn.	
	확인	취소

8. OK 버튼을 클릭합니다.

Options		×
General	<u>S</u> cheme:	
Defaults	C/C++ 💙	
Visual Help Confirmations	Name Command Params	Add
Dialogs Keyboard	[WinARM_G]Make All make.exe all [WinARM_G]Make Clean make.exe clean	Edit
AutoComplete		Remove
Schemes		
Advanced		
Files New Files		
- File Associations		
Tools		
Extensions		
	Note: The first item in any list will be the default tool	· ·
	OK Cancel	Help